

## Highlights:

---

- null
- null
- null
- null
- DuraCoat™ texture paintwork
- null
- null
- null
- Optional 70/100V line transformer available

## Product information:

---

The VEXO206 is a high-output 2.5-way loudspeaker, providing a powerful and detailed signature sound of the VEXO family with a dual 6.5-inch driver in a compact cabinet.

The combination of the elegant enclosure and high performance allows them to be used in installation applications that require both a modern look and a unique audio experience from nightclubs to sports facilities. Compression driver overload protection is provided through an internal limiting circuit. Mounting in both horizontal and vertical directions is possible with the included wall bracket. The VEXO206 offers two mounting positions within its bracket: close to the wall for a compact appearance, or slightly offset for a more refined and elegant floating effect.

An optional 70/100V transformer module can be installed to use VEXO206 in Hi-Z systems. The VEXO206 loudspeaker is available in Black (B) or White (W).



## Properties:

---

 Rotatable

## Impedance:

---

$\Omega$  8 Ohm

## Usage:



Indoor

## System specifications:

|                          |                                     |                                      |
|--------------------------|-------------------------------------|--------------------------------------|
| Speaker type             |                                     | 2.5-way                              |
| Peak power handling      |                                     | 1000 W                               |
| Program power handling   |                                     | 500 W                                |
| Continuous power (AES)   |                                     | 250 W                                |
| Sensitivity (1W/1m)      |                                     | 95 dB                                |
| Max SPL (Continuous/AES) |                                     | 119 dB                               |
| Frequency                | Response ( $\pm 3$ dB)              | 69 Hz - 20 kHz                       |
|                          | Range (-10 dB)                      | 60 Hz - 20 kHz                       |
| Drivers                  | HF                                  | null                                 |
|                          | LF                                  | 2 x 6.5" with 1.5" voice coil        |
| Impedance                |                                     | 8 $\Omega$                           |
| Connectors               |                                     | 2 x Speakon compatible (Linkthrough) |
| Coverage                 | Avg 1 kHz - 4 kHz   -6 dB   1/3 Oct | Horizontal<br>117°                   |
|                          |                                     | Vertical<br>114°                     |
|                          | Rotatable Horn                      | No                                   |

## Product Features:

---

|                     |                   |                                    |
|---------------------|-------------------|------------------------------------|
| Dimensions          |                   | 22.047 x 8.31 x 8.66 " (W x H x D) |
| Weight              |                   | 30.86 lb                           |
| Construction        |                   | null                               |
| Finish              | Cabinet finishing | null                               |
| Front finish        |                   | null                               |
| Mounting            | Mounting pattern  | null                               |
| Powerdrive mount    |                   | null                               |
| Mounting & handling | Rigging points    | null                               |
| Accessories         | Included          | Mounting bracket                   |
|                     |                   | Drop safety wire                   |
|                     | Optional          | null                               |
|                     |                   | CHB196 - 35 mm pole adapter        |

## Variants:

---

- VEXO206/B - Black version
- VEXO206/W - White version